

BOLT CUTTER

US Tools Bolt Cutter

- Handles have heavy vinyl grips with flat grips ends for 90-degree cuts.
- All-purpose, center-cut jaws for soft, medium and hard metals.
- Forged, alloy tool steel jaws are precision ground for sure, efficient cutting and long life.
- Lock plate reinforcement prevents jaw bolts from loosening or turning, keeps jaws in correct alignment.
- Cutting jaws are made of heavy duty drop forged alloy steel



UST-303C

STANDARD PARAMETER	
Material	Tubular Steel Handle
Handle Size	30 Inch
Rebar cutting capacity	Up to 1/2" rebar, 7/16" grade 8 bolts
Utility grade 7-strand guy strand breaking strength	25,000 lbs. (11,339.81 kg).
Standard	ASTM A475-98



OPEN

movable handle to full extension to open cutting jaw



SNAP

Cable between cutting jaws



CUT

Cable using ratcheting handle

Note: For Quality Reason, we have the right to change the color or design of the tools without any prior notice.



FEATURES

- All-purpose, center-cut jaws
- Forged, alloy tool steel jaws are precision ground for sure, efficient cutting and long life
- Lock plate reinforcement prevents jaw bolts from loosening or turning, keeping jaws in correct alignment



- Spring-loaded cable retention hook snaps onto the cable in one hands-free motion and keeps strands between cutting blades
- Long handles provide leverage when cutting
- Lock plate reinforcement prevents jaw bolts from loosening or turning, keeps jaws in correct alignment

Cat. No.	Soft & Medium Cutting Capacity	Hard Material Cutting Max. Capacity	Handle Material	Replacement Blade	Overall Length	Weight
UST-285C	5/16" (7.9 mm)	3/16" (4.8 mm)	Steel	285CBL	14" (355.6 mm)	3.2 lb (1.4 kg)
UST-286C	3/8" (9.5 mm)	1/4" (6.4 mm)	Steel	286CBL	18" (457.2 mm)	3.6 lb (1.6 kg)
UST-287C	7/16" (11.1 mm)	5/16" (7.9 mm)	Steel	287CBL	24" (609.6 mm)	6.3 lb (2.9 kg)
UST-288C	1/2" (12.7 mm)	3/8" (9.5 mm)	Steel	288CBL	30" (762.0 mm)	10.2 lb (4.6 kg)
UST-299C	9/16" (14.3 mm)	7/16" (11.1 mm)	Steel	299CBL	36" (914.4 mm)	14.3 lb (6.5 kg)
UST-300C	11/16" (17.5 mm)	1/2" (12.7 mm)	Steel	300CBL	42" (106.7 cm)	19.2 lb (8.7 kg)
UST-302C	3/8" (9.5 mm)	1/4" (6.4 mm)	Fiberglass	302CBL	18-1/4" (463.6 mm)	3.7 lb (1.7 kg)
UST-302C	7/16" (11.1 mm)	5/16" (7.9 mm)	Steel	302CBL	24-1/2" (622.3 mm)	6.1 lb (2.8 kg)
UST-303C	1/2" (12.7 mm)	3/8" (9.5 mm)	Steel	303CBL	30" (762.0 mm)	9.5 lb (4.3 kg)
UST-333C	1/2" (12.7 mm)	3/8" (9.5 mm)	Fiberglass	333CBL	36-1/2" (927.1 mm)	13.0 lb (5.9 kg)


*Up to Brinell 300, Rockwell C31. Up to Brinell 400, Rockwell C42.

Note: For Quality Reason, we have the right to change the color or design of the tools without any prior notice.



US Tool now offers the precision you need with their new **RATCHET CUTTER**, ensuring seamless cuts every time.

- Spring-loaded cable retention hook
- Snaps onto the cable in one hand free motion
- Prevents individual steel strands from slipping out of the cutting jaws



- Spring-loaded cable retention hook snaps onto the cable in one hands-free motion and keeps strands between cutting blades
- Long handles provide leverage when cutting
- Lock plate reinforcement prevents jaw bolts from loosening or turning, keeps jaws in correct alignment



Cat. No.	Cutting Capacity	Up to HRC/MCM	Overall Length
UST-263RCHD	1/4" - 1/2" (12.7 mm) Guy Strand up to 3/8" (9.5 mm) EHS	Rockwell C31 Rockwell C42	31" (76.2 cm)
UST-266RCHR	1/4" - 1/2" (12.7 mm) Guy Strand	300 MCM Copper 600 MCM Aluminum	9.8" (25 cm)

Upgrade your toolbox with US Tool's latest addition, the Ratchet Cutter, delivering unparalleled efficiency and accuracy.